



LEARN MORE AT
energystar.gov

ENERGY STAR® Progress & Goals Report

100

ENERGY STAR®
Score¹

SOFI - Edif 620

Primary Property Function: Office
Gross Floor Area (ft²): 27,701
Built: 1941

For Year Ending: June 30, 2014
Date Generated: November 19, 2014

Property Address:
SOFI - Edif 620
Belt Road, Ramey Base
Aguadilla, Puerto Rico 00604

Property ID: 3790206

1. The ENERGY STAR score is a 1-100 assessment of a building's energy efficiency as compared with similar buildings nationwide, adjusting for climate and business activity.

Performance Comparison

	Progress			Performance Goals		
	Year Ending 6/30/2009 (Baseline)	Year Ending 6/30/2014 (Selected)	% Change	Property's Target	National Median	ENERGY STAR Score of 75
ENERGY STAR Score	100	100	0	100	50	75
Energy						
Site EUI (kBtu/ft²)	23.3	12	93.7	22.1	93.9	69.5
Source EUI (kBtu/ft²)	73.2	37.8	93.7	69.5	294.8	218.1
\$	54,382.72	23,668.76	-56.48	51,663.59	184,823	137,081.56
\$/ft²	1.96	0.85	-56.48	1.87	6.67	4.95
Greenhouse Gas Emissions						
Metric Tons CO2e/year	106.2	54.8	-48.4	100.9	428.2	317.6
kgCO2e/ ft2/year	3.8	2	-48.4	3.6	15.5	11.5
Water						
All Water Consumption (kgal)	1,945.1	296.7	-84.75	*	*	*
Indoor Water Consumption (kgal)	N/A	N/A	N/A	*	*	*
Indoor Water Consumption (kgal/ft²)	N/A	N/A	N/A	*	*	*
\$	27,225.47	11,134.33	-59.1	*	*	*

*Setting and managing water targets is not yet available in Portfolio Manager.