



LEARN MORE AT
energystar.gov

ENERGY STAR® Progress & Goals Report

100

ENERGY STAR®
Score¹

**UNA/ADEM - Edif
632/632A**

Primary Property Function: Office
Gross Floor Area (ft²): 15,020
Built: 1941

For Year Ending: June 30, 2014
Date Generated: November 25, 2014

Property Address:
UNA/ADEM - Edif 632/632A
Belt Road, Ramey Base
Aguadilla, Puerto Rico 00604

Property ID: 3790209

1. The ENERGY STAR score is a 1-100 assessment of a building's energy efficiency as compared with similar buildings nationwide, adjusting for climate and business activity.

Performance Comparison

	Progress			Performance Goals		
	Year Ending 6/30/2009 (Baseline)	Year Ending 6/30/2014 (Selected)	% Change	Property's Target	National Median	ENERGY STAR Score of 75
ENERGY STAR Score	85	100	15	90	50	75

Energy

Site EUI (kBtu/ft²)	50.7	18.6	172	45.6	82.6	61.1
Source EUI (kBtu/ft²)	159.2	58.5	172	143.2	259.3	191.8
\$	53,389.57	19,854.34	-62.81	48,050.61	87,968.42	65,220.44
\$/ft²	3.55	1.32	-62.81	3.2	5.86	4.34

Greenhouse Gas Emissions

Metric Tons CO2e/year	125.3	46.1	-63.21	112.8	204.2	151.4
kgCO2e/ ft2/year	8.3	3.1	-63.21	7.5	13.6	10.1

Water

All Water Consumption (kgal)	359.8	296.1	-17.7	*	*	*
Indoor Water Consumption (kgal)	N/A	N/A	N/A	*	*	*
Indoor Water Consumption (kgal/ft²)	N/A	N/A	N/A	*	*	*
\$	5,523.76	8,237.78	49.13	*	*	*

*Setting and managing water targets is not yet available in Portfolio Manager.